JAYPEE CHUNAR CEMENT PRODUCTS



JCCL/JCCP/ EC COMP-02 /2022-2023

October, 31, 2022

To,
Director,
Regional Office (C),
Ministry of Environment & Forest (MoEF),
Lucknow (UP).

Sub: The Environmental Clearance granted by MoEF for Jaypee Chunar Cement Products, A Unit of Jaypee Cement Corporation Ltd. for manufacturing of 1,00,000 ton per annum Asbestos Cement Sheet at Chunar, Distt. Mirzapur, U.P. 231311

Ref.No: Your Letter No. J-11011/436/2009-IA II (I) Dt. 04.10.2011,

Dear Sir,

This has the reference to your above referred letter on the subject matter. In this connection, we are submitting herewith point wise status of the Compliance for your information and reference Please.

Thanking you,

Yours faithfully

For JAYPEE CHUNAR CEMENT PRODUCTS

(A Unit of Jaypee Gement Corporation Ltd.)

(R.K.Verma) Vice President

CC: Member Secretary, Central Pollution Control Board, New Delhi. Member Secretary, U.P. Pollution Control Board, Lucknow (UP). Regional Office, U.P. Pollution Control Board, Robertsganj (UP).





Vorks : Village - Jamuhar, P.O. Chunar Cement Factory, Tehsil - Chunar Distt. Mirzapur

Ph.: +91 (5443) 222265, 22602 Fax: +91 (5443) 222700

Head Office: 'JA House' 63 Basant Lok, Vasant Vihar, New Delhi - 110 057 (India)

Ph.: +91 (11) 26141540, 26147411 Fax: +91 (11) 26145389, 26143591

Regd. Office: Sector 128, Noida - 201 304 U.P. (India) Ph. + 91 (120) 2470800, 4609000

Name of the Project: Jaypee Chunar Cement Products

A Unit of Jaypee Cement Corporation Ltd.

for manufacturing of 1,00,000 ton per annum Asbestos Cement Sheet

At Chunar, Distt. Mirzapur, U.P. 231311

Clearance Letter No: No.J-11011/436/2009-IA II (I) Dt. 04.10.2011

S.N SPECIFIC CONDITIONS

SPECIFIC CONDITIONS

safety of employees etc. Raw materials like asbestos fiber and The project proponent shall adhere to the prescribed BIS under compressed condition. shall be brought in pelletized form in impermeable bags and cement shall be transported in closed containers. Asbestos fiber standards and laws regarding use and handling of asbestos, exposure to workmen.

=:

Only Chrysotile white asbestos fiber shall be used. Blue asbestos

shall not be utilized as raw material in the manufacturing process.

All the BIS standards and laws of safety are followed for handling of asbestos. The asbestos bags are handling in closed circuit without

There shall be no manual handling/ opening of asbestos fiber bags. The company shall install fully automatic asbestos fiber debagging system before commissioning the unit. Mechanized mixing of the raw materials shall be explored.

Fully Automatic Asbestos Fiber Bag Opening Machine is installed and commissioned for handling of asbestos fiber bags.

asbestos sheet. Material safety data have already been submitted with

Only Chrysotile white asbestos fiber is used for manufacturing of

report vide our letter no. JCCL/JCCP/ENV COMP-2/2015 on dated

May 28, 2015

Fugitive emissions shall be controlled by bringing cement in closed tankers, fly ash in covered trucks and asbestos in impervious bags opening inside a closed mixer, Dust collectors shall be provided to Fiber mill, Bag opening device (BOD), Cement and Fly ash silos to control emissions. Bags filters followed by wet washer shall be provided at automatic bag opening machine, bag shredder, fiber mill and the cement silo to collect the dust and recycle it into the process. Fugitive emissions generated from hopper of jaw crusher and Pulverizer shall be channelized through hood with proper suction arrangement, bag filter and stack.

High efficiency pulse jet bag filters have been installed at various locations for controlling fugitive emission and details of High efficiency pulse jet bag filters have already been submitted with report vide our letter no. JCCL/JCCP/ENV COMP-2/2015 on dated May 28, 2015.

The company shall comply with total dust emission limit of 2 mg/Nm³ as notified under the Environment (Protection) Act, 1986. Adequate measures shall be adopted to control the process emission and ensure that the stack emission of asbestos fiber shall not exceed the emission limit of 0.2 fiber/cc. Asbestos fiber in work zone environment shall be maintained within 0.1 fiber/cc.

<

1. High efficiency pulse jet bag filters have been installed at various locations for controlling of total dust emission from stack below 2 mg/Nm³ and stack emission of asbestos fiber will not exceed the limit of 0.2 fiber/cc. Work zone environment will be maintained within 0.1 fiber/cc. Emission monitoring reports are sent to the Ministry's Regional Office at Lucknow, CPCB and UPPCB regularly. The details are as under

 Avg. Stack Emission of Automatic Fiber Bag Opening m/c & Fiber Count (Fiber/cc) Monitoring data for the period April 2022 to September 2022 is as under

Concentration

Avg. Workplace Monitoring data for the period April 2022
 September 2022 is as under

6

Fiber Mill Area		2 Plant Area	2 Plant Area3 Hard Ground Waste Area
	0.042	0.042	0.042 0.040 ste Area 0.041
cc		0.1 Fiber/cc	

EMENT PRODUCT

\(\)					<u> </u>	4
Quarterly monitoring of pollutant (PM10, asbestos fiber count) in the work zone area and stack(s) shall be undertaken by the Project proponents. In addition, the asbestos fiber count in the work zone area shall be monitored by a judge of the count in the work zone area shall be monitored by the project proposed by the project proposed shall be monitored by the project proposed by the project pro	(d) Enclosed belt conveyor shall be used instead of manual transportation of asbestos within the premises.	(c)Hoor shall be cleaned by Vacuum cleaner only.	(b) Leakages or dust from machines and ducts shall be plugged.	(a) All monitoring transfer points shall be connected to dust extraction system.	Proper housekeeping shall be maintained within the plant premises. Process machinery, exhaust and ventilation system shall be laid in accordance with the Factories Act. Better housekeeping practices shall be adopted for improvement of the environment within the work environment also. These include.	avoid fugitive emissions of asbestos fiber from damaged bags, if any.
Emission monitoring reports are sent to the Ministry's Regional Office at Lucknow, CPCB and UPPCB regularly. 1. 1. Avg. Stack Emission of Automatic Fiber Bag Opening m/c	Already Complied	Already Complied	Already Complied	Already Complied	Proper housekeeping is being ensured in plant area and cleaning of shop floor area by vacuum cleaning machine.	The bags containing asbestos fiber are stored in covered shed.

	-
5	3 :-
der	Avg.
il in	Stack
and barrow April 2022	Emission of Automatic F
to September 2022 IS as	iber Bag Opening m/c

work zone area shall be monitored by an independent monitoring agency like NIOH / IRTC / NCB or any other approved agency and

reports submitted to the Ministry's Regional Office at Lucknow, SPCB and CPCB.

Sr. Sampli No	1 PM (ma	
npling Location	/Nm³)	
AVG. Pollutant Concentratio	1.40	0.043
CPCB /UPPCB Standard	2.0 mg/Nm ³	0.2 Fiber/cc

JCCP, ENVIRONMENT CLEARANCE COMPLIANCE

PAGE 3

ENCHT PRODUCT

×				ů,		
Total water requirement shall not exceed 100 M3/day, All the The table						
M ³ /day All the The t	4	100	12)	No Sr.	I. S
	Sheet Sorting Area	Hard Ground Waste Area	Plant Area	Fiber Mill Area	Sampling Location	September 2022 is as under
	0.049	0.041	0.040	0.042	AVG. Pollutant Concentratio n (Fiber/CC)	data for the per
	15			0.1 Fiber/cc	CPCB /UPPCB Standard	lod /

As reflected in the Environment Management Plan, all the treated recommendations of the State Ground Water Department, Govt. | recommendations are implemented effluent shall be recycled and reused in the manufacturing 1. No effluent is being generated from the process. The plant has 2 0

- 2. STP has been commissioned and domestic waste water from plant been designed on Zero discharge basis.
- water is used for water sprinkling and green belt development. and colony is treated in the sewage treatment plant.-The treated

×

belt development.

domestic wastewater shall be treated in STP and used for green premises and 'Zero' discharge shall be maintained. All the

process. No process water shall be discharged outside the

The company shall ensure that the entire solid waste generated

including process rejects, cement, fly ash dust from bag filters

×

of U.P. shall be implemented in time bound manner.

The plant has been designed on Zero discharge basis and all the being done. complete recycling of solid waste and water, good housekeeping is fugitive emissions, control systems at source, Proper handling of Chrysotile Asbestos, green belt plantation, control of waste is being pulverized and recycled back to process plant for reused. process waste has been recycled into the process used .The Hazardous zero waste disposal,

in accordance with the Bureau of Indian Standard Code.

secured landfill. The disposal facilities for asbestos waste shall be due to contamination of iron dust shall be stored in HDPE lined to the process. Asbestos fibers which cannot be further recycled dust proof pulverize with integrated bag filter and recycled back and reused in the process. Hazardous waste shall be ground in manufacturing process. Process sludge shall be 100% recycled and empty asbestos bag shall be recycled back in the

XII	X	Χiv	Xv.	Xvi.
Empty fiber bags will be shredded in the fine particles in a bag shredder and recycled into the process. Pilling of AC Sheets shall be done in wet condition only.	The company shall obtain a certificate from the supplier of Chrysotile fiber that it does not contain any toxic or trace metals. A copy of certificate shall be submitted to the Ministry of Environment and Forests.	Regular medical examination of the workers and health monitoring of all the employees shall be carried out and if cases of asbestos are detected, necessary compensation shall be arranged under the existing laws. A competent occupational health physician shall be appointed to carryout medical surveillance. Occupational health of all the workers shall be monitored for lung function test, chest x-ray, sputum for acid-fast-bacilli (AFC) and asbestos body (AB), urine for sugar and albumen, bloat tests for TLC, DLC, ESR, Hb and records maintained for at last 40 years from the beginning of the employment or 15 years after the retirement or cessation of employment whichever is later. Occupational Health Surveillance shall be carried out as per the directives of the Hon'ble Supreme Court including the recent Kalyaneswari Case.	To educate the workers, all the work places where asbestos dust may cause a hazard shall be clearly indicated as a dust exposure area through the use of display signs which identifies the hazard and the associated health effects.	The company shall also undertake rain water harvesting measures for a storage capacity of minimum 2 - 3 months after studying the hydrogeology of the area and plan of action shall be submitted to the Ministry's Regional Office at Lucknow within three months.
The cut and damaged fiber bags are immediately used in the process. Empty fiber bags are shredded and recycled into the process. AC sheets will be stored in wet condition.	Copy of certificate have already been submitted with report vide our letter no. JCCL/JCCP/ENV COMP-2/2015 on dated May 28, 2015	Regular medical examination of the workers and employee is being done by company doctor. 41 employees, health examined have been done during the period of April 2022 to September 2022 and no occupation disease has been noticed.	Regular awareness training program is being conducted by experts on safety and health. Displays of signages about the handling of asbestos bags are displayed at various locations.	Rain Water harvesting system has been installed for storm water.

JCCP, ENVIRONMENT CLEARANCE COMPLIANCE

Unit gudaypee Cement Corporation 1 ld

1	σ.	Xxi.	Ş	5		XIX.	Xviii.	XVII.
The project authorities must strictly adhere to the stipulations made by the Uttar Pradesh Pollution Control Board and the State Government.	GENERAL CONDITIONS	The company shall provide housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on public hearing issues and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Lucknow. Implementation of such program should be ensured accordingly in a time bound manner.		plant whichever is earlier.	Green belt shall be developed in a least 33% of plant area as per the CPCB guidelines in consultation with the DFO. Green belt development shall be started within 3 months after obtaining EC and completed within three years or before commissioning of the	All the commitments made to the public during the Public Hearing /Public Consultation meeting held on 14th December, 2010 shall be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Lucknow.	Earth quack and Seismic hazard management plan shall be submitted to the Ministry's Regional Office at Lucknow within three months.
The project authorities must strictly adhere to the stipulations woted and All the conditions/stipulations by statutory authorities are made by the Uttar Pradesh Pollution Control Board and the State implementeduct Government. Javets Hunas Comporation Ltd		Not applicable as construction phase is over.	It implemented	1442	Total Nos. Of Plant Survival rate in plantation survived Percentage	Green belt has already been developed in 33% area around the project site. The process of fresh plantation is regularly followed Details of the fresh Tree Plantation done during April 2022 to September 2022 are as under:	Already Compiled	JAL/CCF/ENV.12/2012 on dated 28/01/2012

		V.
No further expansion or modifications in the plant shall be carried Noted and No expansion / modifications will be out without prior approval of the Ministry of Environment and approval from ministry of environment & forest.	The gaseous emissions from various process units shall conform to the load/mass based standards notified by this Ministry on 19th May, 1993 and standards prescribed from time to time. The State Board may specify more stringent standards for the relevant	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum ground level concentration of PM 10, SO ₂ and Nox are anticipated in consultation with the SPCB, Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Lucknow and the SPCB/CPCB once in six months.
We further expansion or modifications in the plant shall be carried Noted and No expansion / modifications will be taken without the prior out without prior approval of the Ministry of Environment and approval from ministry of environment & forests.	Noted and Compiled	At least four ambient air quality monitoring stations should be established in the downward direction as well as where maximum and down wind direction where maximum ground concentrations of ground level concentration of PM 10, SO ₂ and Nox are anticipated in consultation with the SPCB, Data on ambient air quality and stack emission shall be regularly submitted to this Ministry including its Regional Office at Lucknow and the SPCB/CPCB once in six months.

Locations	Water	Despatch gate of	JCCP	Electrical Sub- Station
Parameters	tank	ЭССР	office	
AVG.PM10	42.92	48.27	40.30	49.06
AVG.PM _{2.5}	19.42	21.03	16.87	21.02
AVG. SO2	12.67	13.61	12.66	12.95
AVG. NOx	15.62	16.46	18.01	15.83

AND THE CHINAN COMMENT CONTINUOUS THE

×	Ĭ.	≦ E	<u> </u>	, <u>5</u>	<
Requisite amount shall be earmarked towards capital cost and recurring cost / annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Lucknow. The funds so provided shall not be diverted for any other purpose.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	The company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act.	The overall noise level in and around the plant area shall be kept well within the standards (85 dBA) by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels shall conform to the standards prescribed under EPA Rules, 1989 viz. 75 dBA (daytime) and 70 dBA (nighttime).	Industrial wastewater shall be properly collected, treated so as to conform to the standards prescribed under GSR 422 (E) dated 19th May, 1993 and 31st December 1993 or as amended from time to time. The treated wastewater shall be utilized for plantation purpose.
Capital cost Rs. 40 Lacks per annum and recurring cost Rs 7.5 Lacks per annum for environmental pollution control measure and these investments will be used solely for pollution control measure. The Recurring expenditure for pollution control and environment protection during April 2022 to September 2022 is 7.5 Lakh.	All the environment control measures and safeguards recommended in EIA-EMP report are complied. Socio-economic development activities in the surrounding villages like community development programs, educational programs, water supply & health care are undertaken.	Rain Water harvesting system has been installed for storm water	Compiled. Under occupational health surveillance, 41 employees and workers have been examined and no occupation disease has been noticed during the period of April 2022 to September 2022.	Overall noise level is kept below the standard 75 dBA. Acoustic enclosures and hoods are provided to control the noise level.	The plant has been designed on Zero discharge condition and all the industrial Effluent waste water recycled back into the process.

/6.2	<u> </u>	
X	X	×
The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Lucknow/CPCB/SPCB shall monitor the stipulated conditions.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Lucknow. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM 10, SO ₂ and Nox (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation. Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put up on the website of the company by the proponent.
Monitoring report of the suspended particulate matter for the stack & ambient air quality is being reported to UP Pollution Control Board on every month and Six Monthly compliance is submitted to Zonal office of MOEF on regular basis. As per MOEF & CC notification no5845 (E) new Delhi dated 26 November 2018, Only soft copy of Six Monthly compliance is submitted through e-mail, to the Regional Office of MOEF, the respective Zonal Office of COCB and the Cock	Criteria pollutants PM 10, SO $_2$ and NO $_x$ (ambient levels as well as stack emissions) is displayed on the main gate of the plant is under process and six monthly report is regularly submitted to MoEF , CPCB and UPPCB and same will be also uploaded on company website .	A copy of clearance letter is submitted by the proponent to concerned Panchayat and Receiving copy of the letter has already been submitted vide our letter no. JAL/CCF/Env./06/2012 on dated May 31, 2012.

of the MOEF at Lucknow by e-mail.

amended subsequently, shall also be put up on the website of the company along with the status of compliance of environment conditions and shall also be sent to the respective Regional Office.

Xiv.

The environmental statement of each financial year ending 31st

march in Form - V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as

in Form - V and Environment Statement Report letter have already

The environmental statement of financial year ending 31st March 2022

respective Zonal Office of CPCB and the SPCB

been submitted vide our letter no. JCCL/JCCP/ENV/ESR/2022-23 Dated

prescribed under the Environment (Protection) Rules 1986, as

July 16, 2022.

MYPEE CHUMAN CEMENT PRODUCT

		_		
12	11	10	Xvi.	Xv
The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	The Ministry reserve the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Project authorities shall inform the regional, Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at website of the Ministry of Environment and Forests at http;/envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locally concerned and a copy of the same should be forwarded to the Regional Office at Lucknow.
Noted and agreed.	Noted & agreed	Noted & agreed	Already complied. The date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work have already been submitted vide our letter no. JAL / CCF/ ENV. /06/2012 dated 31 May 2012	Already complied. The Project has been accorded environmental clearance by the ministry has already been published in local news paper in Hindi as well as English on dated 11.10.2011, Copies already submitted vide our letter no. JAL/CCF/Env./06/2012 on dated May 31, 2012

JASPEE CHUDANT CEMENT PRODUCT