JAYPEE CHUNAR CEMENT PRODUCTS

JAYPEE CEMENT CORPORATION LIMITED

JCCL/JCCP/ EC COMP-09 / 2023-2024

To,

November 11, 2023

Director,
Regional Office (C),
Ministry of Environment & Forest (MoEF),
Lucknow (UP).

Sub: The Environmental Clearance granted by MoEF for Jaypee Chunar Cement Products, A Unit of Jaypee Cement Corporation Ltd. for manufacturing of 1,00,000 ton per annum Asbestos Cement Sheet at Chunar, Distt. Mirzapur, U.P. 231311

Ref.No: Your Letter No. J-11011/436/2009-IA II (I) Dt. 04.10.2011,

Dear Sir,

This has the reference to your above referred letter on the subject matter. In this connection, we are submitting herewith point wise status of the Compliance for your information and reference Please.

Thanking you,

Yours faithfully

For JAYPEE CHUNAR CEMENT PRODUCTS

(A Unit of Jaypee Cement Corporation Ltd.)

(R.K.Verma) Vice President

CC: Member Secretary, Central Pollution Control Board, New Delhi. Member Secretary, U.P. Pollution Control Board, Lucknow (UP). Regional Office, U.P. Pollution Control Board, Robertsganj (UP).





Works : Village - Jamuhar, P.O. Chunar Cement Factory, Tehsil - Chunar Distt. Mirzapur

Ph.: +91 (5443) 222265, 22602 Fax: +91 (5443) 222700

Head Office: 'JA House' 63 Basant Lok, Vasant Vihar, New Delhi - 110 057 (India)

Ph.: +91 (11) 26141540, 26147411 Fax: +91 (11) 26145389, 26143591

Regd. Office: Sector 128, Noida - 201 304 U.P. (India) Ph. + 91 (120) 2470800, 4609000

Ť	112
	7
	O)
	Name of the F
	3
	0
	0
	4
	-
	7
	0
	-
	U
	7
	۲,
	0
	C
	Project:
۰	Jaypee (
	23
ı	V
į	-
i	×
í	CV.
	(D
	0
)	13
1	Chun
•	C
	H
	-

Jaypee Chunar Cement Products, A Unit of Jaypee Cement Corporation Ltd.

at Chunar, Distt. Mirzapur, U.P. 231311 for manufacturing of 1,00,000 ton per annum Asbestos Cement Sheet

Period of Compliance Report : April 2023 To September 2023 Clearance Letter No: No.J-11011/436/2009-IA II (I) Dt. 04.10.2011

SPECIFIC CONDITIONS

COMPLIANCE STATUS

iv	E	E	1
Fugitive emissions shall be controlled by bringing cement in closed tankers, fly ash in covered trucks and asbestos in impervious bags opening inside a closed mixer, Dust collectors shall be provided to Fiber mill, Bag opening device (BOD), Cement and Fly ash silos to control emissions. Bags filters followed by wet washer shall be provided at automatic bag opening machine, bag shredder, fiber mill and the cement silo to collect the dust and recycle it into the process. Fugitive emissions generated from hopper of jaw crusher and Pulverizer shall be channelized through hood with proper suction arrangement, bag filter and stack.	There shall be no manual handling/ opening of asbestos fiber bags. The company shall install fully automatic asbestos fiber debagging system before commissioning the unit. Mechanized mixing of the raw materials shall be explored.	Only Chrysotile white asbestos fiber shall be used. Blue asbestos shall not be utilized as raw material in the manufacturing process.	The project proponent shall adhere to the prescribed BIS standards and laws regarding use and handling of asbestos, safety of employees etc. Raw materials like asbestos fiber and cement shall be transported in closed containers. Asbestos fiber shall be brought in pelletized form in impermeable bags and under compressed condition.
High efficiency pulse jet be locations for controlling efficiency pulse jet bag fi previous report vide our on dated May 28, 2015	Fully Automatic Asbes installed and commission	Only Chrysotile white as of asbestos sheet. Mat submitted with previ-	All the BIS standards handling of asbestos. The circuit without exposure

All the BIS standards and laws of safety are followed for andling of asbestos. The asbestos bags are handling in closed ircuit without exposure to workmen.

Chrysotile white asbestos fiber is used for manufacturing sbestos sheet. Material safety data have already been nitted with previous report vide our letter no./JCCP/ENV COMP-2/2015 on dated May 28, 2015

Automatic Asbestos Fiber Bag Opening Machine is

ned for handling of asbestos fiber bags.

th efficiency pulse jet bag filters have been installed at various ations for controlling fugitive emission and details of High ciency pulse jet bag filters have already been submitted with vious report vide our letter no. JCCL/JCCP/ENV COMP-2/2015 dated May 28, 2015

				Vii	ą.	4
(d) Enclosed belt conveyor shall be used instead of manual transportation of asbestos within the premises.	(c)Floor shall be cleaned by Vacuum cleaner only.	(b) Leakages or dust from machines and ducts shall be plugged.	(a)All monitoring transfer points shall be connected to dust extraction system.	Proper housekeeping shall be maintained within the plant premises. Process machinery, exhaust and ventilation system shall be laid in accordance with the Factories Act. Better housekeeping practices shall be adopted for improvement of the environment within the work environment also. These include.	Bags containing asbestos fiber shall be stored in enclosed area to avoid fugitive emissions of asbestos fiber from damaged bags, if any.	The company shall comply with total dust emission limit of 2 mg/Nm³ as notified under the Environment (Protection) Act, 1986. Adequate measures shall be adopted to control the process emission and ensure that the stack emission of asbestos fiber shall not exceed the emission limit of 0.2 fiber/cc. Asbestos fiber in work zone environment shall be maintained within 0.1 fiber/cc.
Already Complied	Already Complied	Already Complied	Already Complied	Proper housekeeping is being ensured in plant area and cleaning of shop floor area by vacuum cleaning machine.	The bags containing asbestos fiber are stored in covered shed.	 High efficiency pulse jet bag filters have been installed at various locations for controlling of fugitive emission from stack below 2mg/Nm3 and stack emission of asbestos fiber well within the limit of 0.2 fiber/cc. Work zone environment is maintained within 0.1 fiber/cc. Emission monitoring reports are sent to the Ministry's Regional Office at Lucknow, CPCB and UPPCB regularly. Monitoring of stack emission and workplace area was not carried out for reporting period (April 2023 To September 2023) as plant was not in operation.

Xii	×	×	Ħ	viii
The cut and damaged fiber bags shall immediately be repaired. Empty fiber bags will be shredded in the fine particles in a bag shredder and recycled into the process. Pilling of AC Sheets shall be done in wet condition only.	The company shall ensure that the entire solid waste generated including process rejects, cement, fly ash dust from bag filters and empty asbestos bag shall be recycled back in the manufacturing process. Process sludge shall be 100% recycled and reused in the process. Hazardous waste shall be ground in dust proof pilverizer with integrated bag filter and recycled back to the process. Asbestos fibers which cannot be further recycled due to contamination of iron dust shall be stored in HDPE lined secured landfill. The disposal facilities for asbestos waste shall be in accordance with the Bureau of Indian Standard Code.	As reflected in the Environment Management Plan, all the treated effluent shall be recycled and reused in the manufacturing process. No process water shall be discharged outside the premises and 'Zero' discharge shall be maintained. All the domestic wastewater shall be treated in STP and used for green belt development.	Total water requirement shall not exceed 100m³ /day. All the recommendations of the State Ground Water Department, Govt. of U.P. shall be implemented in time bound manner.	Quarterly monitoring of pollutant (PM10, asbestos fiber count) in the work zone area and stack(s) shall be undertaken by the Project proponents. In addition, the asbestos fiber count in the work zone area shall be monitored by an independent monitoring agency like NIOH / IRTC / NCB or any other approved agency and reports submitted to the Ministry's Regional Office at Lucknow, SPCB and CPCB.
The cut and damaged fiber bags are immediately used in the process. Empty fiber bags are shredded and recycled into the process. AC sheets will be stored in wet condition.	The plant has been designed on Zero discharge basis and all the process waste has been recycled into the process used. The Hazardous waste is being pulverized and recycled back to process plant for reused. No disposal outside the premises. Proper handling of Chrysotile Asbestos, green belt plantation, control of fugitive emissions, control systems at source, zero waste disposal, complete recycling of solid waste and water, good housekeeping is being done.	 No effluent is being generated from the process. The plant has been designed on Zero discharge basis. STP has been commissioned and domestic waste water from plant and colony is treated in the sewage treatment plant. The treated water is used for water sprinkling and green belt development. 	The total water Consumption is below 100 M3/day and all the recommendations are implemented.	Monitoring of stack Emission and workplace area was not carried out for reporting period(April 2023 to September 2023) as plant was not in operation.

JCCP, ENVIRONMENT CLEARANCE COMPLIANCE

PAGE 3

	Xvii	Xvi.	T XIV	X
be submitted to the Ministry's Regional Office at Lucknow within three months.		dust may cause a hazard shall be clearly indicated as a dust exposure area through the use of display signs which identifies the hazard and the associated health effects. The company shall also undertake rain water harvesting	Regular medical examination of the workers and health monitoring of all the employees shall be carried out and if cases of asbestos are detected, necessary compensation shall be arranged under the existing laws. A competent occupational health physician shall be appointed to carryout medical surveillance. Occupational health of all the workers shall be monitored for lung function test, chest x-ray, sputum for acid-fast-bacilli (AFC) and asbestos body (AB), urine for sugar and albumen, bloat tests for TLC,DLC, ESR, Hb and records maintained for at lest 40 years from the beginning of the employment or 15 years after the retirement or cessation of employment whichever is later. Occupational Health Surveillance shall be carried out as per the directives of the Hon'ble Supreme Court including the recent Kalyaneswari Case.	
JAL/CCF/ENV.12/2012 on dated 28/01/2012	The same of the sa	Regular awareness training programme is being conducted by experts on safety and health. Displays of signage's about the handling of asbestos bags are displayed at various locations.	Regular medical examination of the employee is being done by company doctor and 40 employees have been examined and no occupation disease has been noticed during the period of April' 2023 to September' 2023	The company shall obtain a certificate from the supplier of Chrysotile fiber that it does not contain any toxic or trace metals. A copy of certificate shall be submitted to the May 78, 2015 Ministry of Environment and Foresto.

ij	-	В	Xxi.	×	XIX	. Xviii
No further expansion or modifications in the plant shall be carried out without prior approval of the Ministry of Environment and Forests.	The project authorities must strictly adhere to the stipulations made by the Uttar Pradesh Pollution Control Board and the State Government.	GENERAL CONDITIONS	The company shall provide housing for construction labor within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, safe drinking water, medical health care, crèche etc. The housing may be in the form of temporary structures to be removed after the completion of the project	At least 5% of the total cost of the project shall be earmarked towards the Enterprise Social Commitment based on public hearing issues and item-wise details along with time bound action plan should be prepared and submitted to the Ministry's Regional Office at Lucknow. Implementation of such program should be ensured accordingly in a time bound manner.	Green belt shall be developed in a least 33% of plant area as per the CPCB guidelines in consultation with the DFO. Green belt development shall be started within 3 months after obtaining EC and completed within three years or before commissioning of the plant whichever is earlier.	All the commitments made to the public during the Public Hearing /Public Consultation meeting held on 14th December, 2010 shall be satisfactorily implemented and a separate budget for implementing the same should be allocated and information submitted to the Ministry's Regional Office at Lucknow.
Noted and No expansion / modifications will be take without the prior approval from ministry of environment & forest	Noted and All the conditions/stipulations by statutory authorities are implemented.		Not applicable as construction phase is over.	It will be implemented.	33% area is reserved for Green Belt Development. Details of Tree Plantation for the period April - September 2023 are as under. Total Nos. Of Plant Survival rate in Plantation survived Percentage 300000 29840 99.33%	Already Compiled

				III.
nature of the industry and its size and location.	standards for the relevant parameters keeping in view the	Ministry on 19th May, 1993 and standards prescribed from	conform to the load/mass based standards notified by this	The gaseous emissions from various process units shall Noted and
				Noted and Compiled

IV. submitted to this Ministry including its Regional Office at ambient air quality and stack emission shall be regularly At least four ambient air quality monitoring stations should Lucknow and the SPCB/CPCB once in six months Nox are anticipated in consultation with the SPCB, Data on maximum ground level concentration of PM 10, SO2 and be established in the downward direction as well as where

							-
Contembor' 2023 are as under(All values in upm/m3):-	month). The average AAQMS data for the period April' 2023 to	reported to UP Pollution Control Board on regular basis (every	ambient air quality is being monitored and the same is being	Monitoring of the suspended particulate matter for the stack &	concentrations of PM10, SO2 & NOx are anticipated.	upwind and down wind direction where maximum ground	L. Four ambient air quality monitoring stations are established in

september 2023 are as under(All values in µgm/m):-

. 7	_	_	-	_		
The plant h	AVG.NOx	AVG.SOx	AVG.PM 2.5	AVG.PM10	Parameters	Locations
The plant has been designed on Zero discharge bases and all	19.65	12.17	14.33	49.09	tank	e,
ed on Zero	19.92	12.30	14.29	49.15	gate of JCCP	storage Despatch
discharge	19.56	11.96	13.74	48.19	Office	JCCP time
bases and al	19.44	11.89	13.93	47.79	Substation	Electrical

process. the industrial Effluent waste water recycled back into the

noise control measures including acoustic hoods, silencers, The overall noise level in and around the plant area shall be kept well within the standards (85 dBA) by providing enclosures and hoods are provided to control the noise level. Overall noise level is kept below the standard 85 dBA. Acoustic

Vi.

be utilized for plantation purpose.

<

as to conform to the standards prescribed under GSR 422 Industrial wastewater shall be properly collected, treated so

amended from time to time. The treated wastewater shall (E) dated 19th May, 1993 and 321st December 1993 or as



and 70 dBA (nighttime).

ambient noise levels shall conform to the standards enclosures etc. on all sources of noise generation. The

prescribed under EPA Rules, 1989 viz. 75 dBA (daytime)

×	×	Ix.	Vii.
A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/Municipal Corporation. Urban Local Body and the local NGO, if any, from whom suggestions/representations, if any, were received while processing the proposal. The clearance letter shall also be put up on the website of the company by the proponent.	Requisite amount shall be earmarked towards capital cost and recurring cost / annum for environment pollution control measures to implement the conditions stipulated by the Ministry of Environment and Forests as well as the State Government. An implementation schedule for implementing all the conditions stipulated herein shall be submitted to the Regional Office of the Ministry at Lucknow. The funds so provided shall not be diverted for any other purpose.	The project proponent shall also comply with all the environmental protection measures and safeguards recommended in the EIA/EMP report. Further, the company must undertake socio-economic development activities in the surrounding villages like community development programmes, educational programmes, drinking water supply and health care etc.	Occupational health surveillance of the workers shall be done on a regular basis and records maintained as per the Factories Act. The company shall develop surface water harvesting structures to harvest the rain water for utilization in the lean season besides recharging the ground water table.
A copy of clearance letter is submitted by the proponent to concerned Panchayat and Receiving copy of the letter has already been submitted vide our letter no. JAL/CCF/Env./06/2012 on dated May 31, 2012.	 Capital cost Rs. 40 Lacks per annum and recurring cost Rs. 1.0 Lacks per annum for environmental pollution control measure and these investments will be used solely for pollution control measure. The Recurring expenditure for pollution control and environment protection during April' 2023 to September' 2023 is 0.50 Lakh. 	All the environment control measures and safeguards recommended in EIA-EMP report are complied. Socio-economic development activities in the surrounding villages like community development programs, educational programs, water supply & health care are undertaken.	Compiled. Under occupational health surveillance, 40 employees and workers have been examined and no occupation disease has been noticed during the period of April' 2023 to September' 2023 Rain Water harvesting system has been installed for storm water

Xiv.	XII.	, XII.
The environmental statement of each financial year ending 31st march in Form - V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules 1986, as amended subsequently, shall also be put up on the website of the company along with the status of compliance of environment conditions and shall also be sent to the respective Regional Office of the MOEF at Lucknow by e-mail.	The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the SPCB. The Regional Office of this Ministry at Luckhnow/CPCB/SPCB shall monitor the stipulated conditions.	The project proponent shall upload the status of compliance of the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MOEF at Lucknow. The respective Zonal Office of CPCB and the SPCB. The criteria pollutant levels namely; PM 10, SO ₂ and NOx (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain
The environmental statement of financial year ending 31st March 2023 in Form - V and Environment Statement Report letter have already been submitted vide our letter no. JCCL/JCCP/ENV/Statement Rept./2022-23 dated 14 July 2023	Monitoring report of the suspended particulate matter for the stack & ambient air quality is being is being reported to UP Pollution Control Board on every month and Six Monthly compliance is submitted to Zonal office of MOEF on regular basis.	Criteria pollutants PM 10, SO ₂ and NOx (ambient levels as well as stack emissions) is displayed on the main gate of the plant and six monthly report is regularly submitted to MoEF, CPCB and UPPCB and same will be also uploaded on company website

			216	
12	11	10	Xvi.	Xv.
The above conditions shall be enforced, inter-alia under the provisions of the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (management, Handling and Transboundary Movement) Rules, 2008 and the Public (Insurance) Liability Act, 1991 along with their amendments and rules.	The Ministry reserve the right to stipulate additional conditions if found necessary. The company in a time bound manner shall implement these conditions.	The Ministry may revoke or suspend the clearance, if implementation of any of the above conditions is not satisfactory.	Project authorities shall inform the regional, Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.	The project proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the SPCB and may also be seen at website of the Ministry of Environment and Forests at http;/envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locally concerned and a copy of the same should be forwarded to the Regional Office at Lucknow.
Noted and agreed.	Noted & agreed	Noted & agreed	Already complied. The date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work have already been submitted vide our letter no. JAL / CCF/ ENV. /06/2012 dated 31 May 2012	Already complied. The Project has been accorded environmental clearance by the ministry has already been published in local news paper in Hindi as well as English on dated English on dated 11.10.2011. Copies already submitted vide our letter no. JAL/CCF/Env./06/2012 on dated May 31, 2012